








Technical Data

Mounting	Ceiling, wall	IP rating	IP 40
Housing material	PC	Light source	LED
Housing colour	White	Colour temperature	6500 K
Insulation class	II	Luminance	500 or 50 cd/m2, selectable

	Self-contained	Centrally supplied
Rated voltage	220-240 V AC, 50/60 Hz	220-240 V AC, 50/60 Hz, 180-300 V DC
Mode of operation	Maintained or non-maintained, selectable	Maintained
Emergency duration	1/2/3/8 h, selectable	—
Test system	Automatic	—
Ambient temp.	0 °C to +40 °C	-10 °C to +40 °C

Article number	Type		View distance	Battery	Wattage	Power factor	Weight
X8001	X8-20 LFP	Self-contained	20 m	LiFePO4 3.2V/0.6Ah	2.2 W	0.41	0.34 kg
X8002	X8-30 LFP	Self-contained	30 m	LiFePO4 3.2V/1.5Ah	4.2 W	0.46	0.56 kg
X8003	X8-20 CS	Centrally supplied	20 m		2.8 W	0.46	0.30 kg
X8004	X8-30 CS	Centrally supplied	30 m		4.8 W	0.57	0.51 kg

Vertical wall mounting




Article number	Description	
X8005	Pictogram left, vertical, ISO 7010, 20 m	
X8006	Pictogram right, vertical, ISO 7010, 20 m	
X8007	Pictogram up, vertical, ISO 7010, 20 m	
X8008	Pictogram down, vertical, ISO 7010, 20 m	
X8009	Pictogram left, vertical, ISO 7010, 30 m	
X8010	Pictogram right, vertical, ISO 7010, 30 m	
X8011	Pictogram up, vertical, ISO 7010, 30 m	
X8012	Pictogram down, vertical, ISO 7010, 30 m	

Accessories


Article number	Description
X8013	Ceiling recessed frame
X8014	Wire suspension kit
X1007	Pole suspension kit, 0,3 m
X1008	Pole suspension kit, 0,5 m
X1009	Pole suspension kit, 1 m

Dimensions, viewing distance 20m (X8-20)


Ceiling-surface mounting




Wall-surface mounting




Vertical wall mounting




Ceiling recessed mounting



Wire suspension mounting




Pole suspension mounting




Dimensions, viewing distance 30m (X8-30)


Ceiling-surface mounting




Wall-surface mounting




Vertical wall mounting



Ceiling recessed mounting



Wire suspension mounting



Pole suspension mounting

